



polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy

Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy, commonly known as PLOSL, is a progressive disorder that affects the bones and brain. "Polycystic lipomembranous osteodysplasia" refers to cyst-like bone changes that can be seen on x-rays. "Sclerosing leukoencephalopathy" describes specific changes in the brain that are found in people with this disorder.

The bone abnormalities associated with PLOSL usually become apparent in a person's twenties. In most affected individuals, pain and tenderness in the ankles and feet are the first symptoms of the disease. Several years later, broken bones (fractures) begin to occur frequently, particularly in bones of the ankles, feet, wrists, and hands. Bone pain and fractures are caused by thinning of the bones (osteoporosis) and cyst-like changes. These abnormalities weaken bones and make them more likely to break.

The brain abnormalities characteristic of PLOSL typically appear in a person's thirties. Personality changes are among the first noticeable problems, followed by a loss of judgment, feelings of intense happiness (euphoria), a loss of inhibition, and poor concentration. These neurologic changes cause significant problems in an affected person's social and family life. As the disease progresses, it causes a severe decline in thinking and reasoning abilities (dementia). Affected people ultimately become unable to walk, speak, or care for themselves. People with this disease usually live only into their thirties or forties.

Frequency

PLOSL is a very rare condition. It was first reported in the Finnish population, where it has an estimated prevalence of 1 to 2 per million people. This condition has also been diagnosed in more than 100 people in the Japanese population. Although affected individuals have been reported worldwide, PLOSL appears to be less common in other countries.

Genetic Changes

Mutations in the *TREM2* gene or the *TYROBP* gene (also called *DAP12*) can cause PLOSL. The proteins produced from these two genes work together to activate certain kinds of cells. These proteins appear to be particularly important in osteoclasts, which are specialized cells that break down and remove (resorb) bone tissue that is no longer needed. These cells are involved in bone remodeling, which is a normal process that replaces old bone tissue with new bone. The *TREM2* and *TYROBP* proteins are also

critical for the normal function of microglia, which are a type of immune cell in the brain and spinal cord (central nervous system). Although these proteins play essential roles in osteoclasts and microglia, their exact function in these cells is unclear.

Mutations in the *TREM2* or *TYROBP* gene disrupt normal bone growth and lead to progressive brain abnormalities in people with PLOSL. Researchers believe that the bone changes seen with this disorder are related to malfunctioning osteoclasts, which are less able to resorb bone tissue during bone remodeling. In the central nervous system, *TREM2* or *TYROBP* mutations cause widespread abnormalities of microglia. Researchers are working to determine how these abnormalities lead to the progressive neurological problems associated with PLOSL.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

Other Names for This Condition

- Nasu-Hakola disease
- NHD
- PLO-SL
- PLOSL
- Presenile dementia with bone cysts

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1857316/>

Other Diagnosis and Management Resources

- GeneReview: Polycystic Lipomembranous Osteodysplasia with Sclerosing Leukoencephalopathy (PLOSL)
<https://www.ncbi.nlm.nih.gov/books/NBK1197>
- MedlinePlus Encyclopedia: Dementia
<https://medlineplus.gov/ency/article/000739.htm>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Dementia
<https://medlineplus.gov/ency/article/000739.htm>
- Health Topic: Bone Diseases
<https://medlineplus.gov/bonediseases.html>
- Health Topic: Degenerative Nerve Diseases
<https://medlineplus.gov/degenerativenervediseases.html>

Genetic and Rare Diseases Information Center

- Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy
<https://rarediseases.info.nih.gov/diseases/9921/polycystic-lipomembranous-osteodysplasia-with-sclerosing-leukoencephalopathy>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Dementia Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Dementia-Information-Page>

Educational Resources

- Disease InfoSearch: Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy
<http://www.diseaseinfosearch.org/Polycystic+lipomembranous+osteodysplasia+with+sclerosing+leukoencephalopathy/5824>
- MalaCards: trem2-related polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy
http://www.malacards.org/card/trem2_related_polycystic_lipomembranous_osteodysplasia_with_sclerosing_leukoencephalopathy
- MalaCards: tyrobp-related polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy
http://www.malacards.org/card/tyrobp_related_polycystic_lipomembranous_osteodysplasia_with_sclerosing_leukoencephalopathy
- Orphanet: Nasu-Hakola disease
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=2770

Patient Support and Advocacy Resources

- Alzheimer's Association
<http://www.alz.org/>
- Family Caregiver Alliance
<https://www.caregiver.org/>
- Resource list from the University of Kansas Medical Center: Neurologic conditions
<http://www.kumc.edu/gec/support/neuro-me.html>

GeneReviews

- Polycystic Lipomembranous Osteodysplasia with Sclerosing Leukoencephalopathy (PLOS)
<https://www.ncbi.nlm.nih.gov/books/NBK1197>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28membranous+lipodystrophy%5BTIAB%5D%29+OR+%28nasu-hakola+disease%5BTIAB%5D%29+OR+%28plos%5BTIAB%5D%29+OR+%28plo-sl%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- POLYCYSTIC LIPOMEMBRANOUS OSTEODYSPLASIA WITH SCLEROSING LEUKOENCEPHALOPATHY
<http://omim.org/entry/221770>

Sources for This Summary

- GeneReview: Polycystic Lipomembranous Osteodysplasia with Sclerosing Leukoencephalopathy (PLOSL)
<https://www.ncbi.nlm.nih.gov/books/NBK1197>
- Klünemann HH, Ridha BH, Magy L, Wherrett JR, Hemelsoet DM, Keen RW, De Bleecker JL, Rossor MN, Marienhagen J, Klein HE, Peltonen L, Paloneva J. The genetic causes of basal ganglia calcification, dementia, and bone cysts: DAP12 and TREM2. *Neurology*. 2005 May 10;64(9):1502-7. *Citation on PubMed*: <https://www.ncbi.nlm.nih.gov/pubmed/15883308>
- Kondo T, Takahashi K, Kohara N, Takahashi Y, Hayashi S, Takahashi H, Matsuo H, Yamazaki M, Inoue K, Miyamoto K, Yamamura T. Heterogeneity of presenile dementia with bone cysts (Nasu-Hakola disease): three genetic forms. *Neurology*. 2002 Oct 8;59(7):1105-7. *Citation on PubMed*: <https://www.ncbi.nlm.nih.gov/pubmed/12370476>
- Madry H, Prudlo J, Grgic A, Freyschmidt J. Nasu-Hakola disease (PLOSL): report of five cases and review of the literature. *Clin Orthop Relat Res*. 2007 Jan;454:262-9. Review. *Citation on PubMed*: <https://www.ncbi.nlm.nih.gov/pubmed/16906106>
- Paloneva J, Autti T, Raininko R, Partanen J, Salonen O, Puranen M, Hakola P, Haltia M. CNS manifestations of Nasu-Hakola disease: a frontal dementia with bone cysts. *Neurology*. 2001 Jun 12;56(11):1552-8. *Citation on PubMed*: <https://www.ncbi.nlm.nih.gov/pubmed/11402114>
- Verloes A, Maquet P, Sadzot B, Vivario M, Thiry A, Franck G. Nasu-Hakola syndrome: polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy and presenile dementia. *J Med Genet*. 1997 Sep;34(9):753-7. Review. *Citation on PubMed*: <https://www.ncbi.nlm.nih.gov/pubmed/9321763>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1051061/>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/polycystic-lipomembranous-osteodysplasia-with-sclerosing-leukoencephalopathy>

Reviewed: November 2008

Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services